

CERTIFICATE OF ANALYSIS

Prepared for:

JZJ Management Corp

2185 E. 74th Place
Denver, CO United States 80229

Quick Sand 10/28/2024

| | | | |
|--|---|-------------------------------|---------------------|
| Batch ID or Lot Number: QS10282024 | Test: Dry Weight Potency | Reported: 12Nov2024 | USDA License: NA |
| Matrix: Plant | Test ID: T000293093 | Started: 10Nov2024 | Sampler ID: NA |
| | Method(s): TM14 (HPLC-DAD) \ TM21 (Karl Fischer) | Received: 08Nov2024 | Status: NA |

| Cannabinoids | LOD (%) | LOQ (%) | Dry Weight Result (%) | MU Range (%) | Notes |
|--|---------|---------|-----------------------|------------------------|-------|
| Cannabichromene (CBC) | 0.022 | 0.066 | ND | ND | |
| Cannabichromenic Acid (CBCA) | 0.020 | 0.061 | 0.236 | 0.218 - 0.254 | |
| Cannabidiol (CBD) | 0.075 | 0.178 | ND | ND | |
| Cannabidiolic Acid (CBDA) | 0.076 | 0.182 | ND | ND | |
| Cannabidivarin (CBDV) | 0.018 | 0.042 | ND | ND | |
| Cannabidivarinic Acid (CBDVA) | 0.032 | 0.076 | ND | ND | |
| Cannabigerol (CBG) | 0.012 | 0.038 | 0.059 | 0.054 - 0.064 | |
| Cannabigerolic Acid (CBGA) | 0.052 | 0.158 | 0.382 | 0.352 - 0.412 | |
| Cannabinol (CBN) | 0.016 | 0.049 | ND | ND | |
| Cannabinolic Acid (CBNA) | 0.035 | 0.108 | ND | ND | |
| Delta 8-Tetrahydrocannabinol (Delta 8-THC) | 0.062 | 0.188 | ND | ND | |
| Delta 9-Tetrahydrocannabinol (Delta 9-THC) | 0.056 | 0.170 | ND | ND | |
| Delta 9-Tetrahydrocannabinolic Acid (THCA-A) | 0.050 | 0.151 | 24.378 | 22.494 - 26.262 | |
| Tetrahydrocannabivarin (THCV) | 0.011 | 0.034 | ND | ND | |
| Tetrahydrocannabivarinic Acid (THCVA) | 0.044 | 0.133 | ND | ND | |
| Total Cannabinoids | | | 25.055 | 23.092 - 27.018 | |
| Total Potential THC | | | 21.380 | 19.714 - 23.045 | |

Final Approval



Judith Marquez
12Nov2024
09:40:00 AM MST

PREPARED BY / DATE



Karen Winternheimer
12Nov2024
12:55:00 PM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/d3332810-17e5-4493-93c4-5f54219a43e9>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Percentage of Delta 9-THC on a dry weight basis = The percentage of Delta 9-THC by weight in cannabis item after excluding all moisture from the item. Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or - the measurement uncertainty.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IAC



Cert #4329.02
d333281017e5449393c45f54219a43e9.1

CERTIFICATE OF ANALYSIS

Prepared for:

JZJ Management Corp


2185 E. 74th Place
Denver, CO United States 80229

Quick Sand 10/28/2024

| | | | |
|--|--|-------------------------------|---------------------|
| Batch ID or Lot Number: QS10282024 | Test: Pesticides | Reported: 13Nov2024 | USDA License: NA |
| Matrix: Plant | Test ID: T000293094 | Started: 12Nov2024 | Sampler ID: NA |
| | Method(s): TM16 (LC-QQ LC MS/MS) | Received: 08Nov2024 | Status: NA |

| Pesticides | Dynamic Range (ppb) | Result (ppb) | Dynamic Range (ppb) | Result (ppb) |
|---------------------|----------------------------|---------------------|----------------------------|---------------------|
| Abamectin | 124 - 1751 | ND | Malathion | 306 - 2641 |
| Acephate | 42 - 2808 | ND | Metalaxyl | 290 - 2701 |
| Acetamiprid | 43 - 2743 | ND | Methiocarb | 39 - 2758 |
| Azoxystrobin | 80 - 2709 | ND | Methomyl | 44 - 2803 |
| Bifenazate | 286 - 2688 | ND | MGK 264 1 | 190 - 1582 |
| Boscalid | 267 - 2671 | ND | MGK 264 2 | 100 - 1099 |
| Carbaryl | 42 - 2706 | ND | Myclobutanil | 45 - 2687 |
| Carbofuran | 42 - 2699 | ND | Naled | 291 - 2678 |
| Chlorantraniliprole | 252 - 2757 | ND | Oxamyl | 43 - 2807 |
| Chlorpyrifos | 277 - 2745 | ND | Paclbutrazol | 43 - 2708 |
| Clofentezine | 289 - 2737 | ND | Permethrin | 265 - 2805 |
| Diazinon | 286 - 2700 | ND | Phosmet | 287 - 2573 |
| Dichlorvos | 320 - 2667 | ND | Prophos | 256 - 2752 |
| Dimethoate | 43 - 2757 | ND | Propoxur | 45 - 2700 |
| E-Fenpyroximate | 300 - 2735 | ND | Pyridaben | 42 - 2775 |
| Etofenprox | 44 - 2754 | ND | Spinosad A | 33 - 2079 |
| Etoxazole | 42 - 2682 | ND | Spinosad D | 12 - 662 |
| Fenoxy carb | 314 - 2657 | ND | Spiromesifen | 15 - 2750 |
| Fipronil | 301 - 2729 | ND | Spirotetramat | 295 - 2719 |
| Flonicamid | 53 - 2840 | ND | Spiroxamine 1 | 17 - 1017 |
| Fludioxonil | 304 - 2727 | ND | Spiroxamine 2 | 22 - 1614 |
| Hexythiazox | 294 - 2747 | ND | Tebuconazole | 302 - 2649 |
| Imazalil | 39 - 2639 | ND | Thiacloprid | 43 - 2779 |
| Imidacloprid | 40 - 2799 | ND | Thiamethoxam | 39 - 2795 |
| Kresoxim-methyl | 288 - 2721 | ND | Trifloxystrobin | 44 - 2717 |

Final Approval



Sam Smith
13Nov2024
11:39:00 AM MST

PREPARED BY / DATE



APPROVED BY / DATE

Karen Winternheimer
13Nov2024
11:40:00 AM MST



<https://results.botanacor.com/api/v1/coas/uuid/180944a8-c919-490b-b458-6270ecc9077a>

Definitions

ND = None Detected (defined by dynamic range of the method)

Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

180944a8c919490bb4586270ecc9077a.1

CERTIFICATE OF ANALYSIS

Prepared for:

JZJ Management Corp

2185 E. 74th Place
Denver, CO United States 80229

Quick Sand 10/28/2024

| | | | |
|--|--|-------------------------------|---------------------|
| Batch ID or Lot Number: QS10282024 | Test: Microbial Contaminants | Reported: 15Nov2024 | USDA License: NA |
| Matrix: Plant | Test ID: T000293095 | Started: 11Nov2024 | Sampler ID: NA |
| | Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating) | Received: 08Nov2024 | Status: NA |

| Microbial Contaminants | Method | LOD | Quantitation | | Notes |
|-------------------------------|-----------------------|----------------|---------------------------------------|---------------|---|
| | | | Range | Result | |
| STEC | TM25: PCR | 10^0 CFU/25g | NA | Absent | Free from visual mold, mildew, and foreign matter |
| Salmonella | TM25: PCR | 10^0 CFU/25g | NA | Absent | |
| Total Yeast and Mold* | TM24: Culture Plating | 10^1 CFU/g | 1.0×10^2 - 1.5×10^4 | < LLOQ | |
| Total Aerobic Count* | TM26: Culture Plating | 10^2 CFU/g | 1.0×10^3 - 1.5×10^5 | None Detected | |
| Total Coliforms* | TM27: Culture Plating | 10^1 CFU/g | 1.0×10^2 - 1.5×10^4 | None Detected | |

Final Approval



Brett Hudson
15Nov2024
02:44:00 PM MST



Nora Langer
15Nov2024
02:52:00 PM MST



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/ec2bd93b-8bd4-4f66-a4bb-87a003d90327>

Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10^2 = 100 CFU, 10^3 = 1,000 CFU, 10^4 = 10,000 CFU, 10^5 = 100,000 CFU
CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
ec2bd93b8bd44f66a4bb87a003d90327.1

CERTIFICATE OF ANALYSIS

Prepared for:

JZJ Management Corp

 2185 E. 74th Place
 Denver, CO United States 80229

Quick Sand 10/28/2024

| | | | |
|--|---|-------------------------------|---------------------|
| Batch ID or Lot Number: QS10282024 | Test: Heavy Metals | Reported: 12Nov2024 | USDA License: NA |
| Matrix: Plant Material | Test ID: T000293096 | Started: 11Nov2024 | Sampler ID: NA |
| | Method(s): TM19 (ICP-MS): Heavy Metals | Received: 08Nov2024 | Status: NA |

| Heavy Metals | Dynamic Range (ppm) | Result (ppm) | Notes |
|---------------------|----------------------------|---------------------|--------------|
| Arsenic | 0.04 - 4.32 | ND | |
| Cadmium | 0.04 - 4.39 | ND | |
| Mercury | 0.05 - 4.67 | ND | |
| Lead | 0.05 - 4.82 | ND | |

Final Approval


 Judith Marquez
 12Nov2024
 12:45:00 PM MST

PREPARED BY / DATE



APPROVED BY / DATE

 Sam Smith
 12Nov2024
 02:36:00 PM MST

<https://results.botanacor.com/api/v1/coas/uuid/32640cb8-7397-4167-8526-bce9e4bcfe7>
Definitions

ND = None Detected (defined by dynamic range of the method)

Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.


 Cert #4329.02
 32640cb8739741678526bce9e4bcfe7.1