

AD Forward Solutions  
919 Haywood Rd Unit 111  
Asheville NC, 28806

Sample: 06-21-2024-51395  
Sample Received: 06/21/2024;  
Report Created: 06/24/2024; Expires: 06/24/2025

Wedding Cake  
Plant, Flower - Cured



**13.795 %**  
Total THC

**0.230 %**  
Δ-9 THC

**16.942 %**  
Total Cannabinoids

**ND %**  
Total CBD

## Cannabinoids

Complete

(Testing Method: HPLC, CON-P-3000)  
Date Tested: 06/21/2024

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8-THC)	0.0481	0.0721	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9-THC)	0.0481	0.0721	0.230	2.298	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0481	0.0721	15.467	154.673	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.0481	0.0721	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0481	0.0721	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0481	0.0721	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0481	0.0721	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0481	0.0721	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0481	0.0721	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0481	0.0721	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0481	0.0721	ND	ND	
Cannabidivarin (CBDV)	0.0481	0.0721	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.0481	0.0721	ND	ND	
Cannabidiol (CBD)	0.0481	0.0721	ND	ND	
Cannabidiolic Acid (CBDA)	0.0481	0.0721	ND	ND	
Cannabigerol (CBG)	0.0481	0.0721	ND	ND	
Cannabigerolic Acid (CBGA)	0.0481	0.0721	1.014	10.144	
Cannabinol (CBN)	0.0481	0.0721	ND	ND	
Cannabinolic Acid (CBNA)	0.0481	0.0721	ND	ND	
Cannabichromene (CBC)	0.0481	0.0721	ND	ND	
Cannabichromenic Acid (CBCA)	0.0481	0.0721	0.231	2.308	
<b>Total</b>			<b>16.942</b>	<b>169.423</b>	

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.040%  
Total CBD Measurement of Uncertainty: ± 2.000%  
THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers



New Bloom Labs  
6121 Heritage Park Drive, A500  
Chattanooga, TN 37416  
(844) 837-8223  
TN DEA#: RN0563975  
ANAB Testing Laboratory (AT-2868): ISO/IEC  
17025:2017

*Ashley N Phillips*  
Ashley N. Phillips, M. Sc  
Laboratory Director

Powered by  
reLIMS  
info@relims.com